



**Lecturer:** dr Kalyan Kar

Head of the Department Surgery at AMRI Hospital, Makundapur, Kolkata

**Date and place:** 19.05.2018

Centrum Medyczne INMEDICO, Tychy, ul. Wąska 7

## The Smart M laser in Treatment of Proctology

**This full day course is for the practitioner or specialist who is ready to take their skills and services to the next level.**



### Why laser?

The use of laser in proctology allows for effective treatment of disease of the distal rectum and perianal area and significantly improves the quality of care for any disease of this region, requiring surgical intervention. One of the most effective methods of laser application in proctology is a minimally invasive laser surgery for haemorrhoids and fistula.

### **Haemorrhoids:**

The treatment of haemorrhoids using a Smart M 1470nm laser device.

This method is used for the treatment of haemorrhoids stage II-III development at an appropriate local or general anaesthesia. During the operation uses a specially designed conical fiber with handpiece through nodes, which runs Endoluminal laser coagulation both segmental and round haemorrhoids. Controlled laser radiation is applied to the haemorrhoid center acting specifically on the biological tissue structure, removing nodes from the inside, while not damaging the mucosa and the structure of the sphincter. In addition, reconstruction creates new fibrous connective tissue, which ensures that the mucous membrane adheres to underlying tissue. This also prevents the occurrence or recurrence of the prolapse.

This method is an analogue of the existing methods of haemorrhoid treatment (electrocautery, surgical scalpel), and has a number of advantages over them:

- Reducing the volume of tissue in hemorrhoids;
- Restoring the natural anatomical structure;
- Reducing the risk of recurrence;
- Reduction of time for the operation (less than 20 minutes);
- Fast patient recovery (just from 4 to 7 days);
- Haemostatic properties;
- Minimal thermal tissue damage;
- Happy patient;

### **Fistula in Anal:**

Treatment of anal fistula with Smart M 1470nm laser device. This method is used for the accurate removal of the anal fistula tract without sphincter damage during the operation using a specially designed radial fiber. Fiber is gently inserted from the outside by means of the pilot beam. Laser radiation radially affects the fistula, thereby inner of track tissue is shrunk in a controlled manner, and a fistula tract is destroyed. It also supports and accelerates the healing process.

### **Other Proctology Applications:**

Fissures removal, Pilonidal Sinus.



**Centrum Medyczne INMEDICO, Tychy, ul. Wąska 7**  
<http://inmedico.pl/kontakt-o-onas/>



### **REGISTRATION AND PAYMENT**

Please note that the number of seats is strictly limited and registration remains open until May 15th 2018. Please send your name and data for the Invoice by e-mail to:

Estera Łoskot  
[med@lasotronix.eu](mailto:med@lasotronix.eu)

### **COURSE FEE**

**2000 PLN - early registration till April 15th 2018**  
**2200 PLN - late registration till May 15th 2018**

**Raiffeisen Polbank Bank Warsaw PL 29 1750 0009 0000 0000 2063 7293**  
**LASOTRONIX Marcin Pokora ul. Żytnia 1, 05-500 Piaseczno**